

Joe Slayton/ESC/R3/USEPA/US
04/08/2009 05:38 PM To
WandaF Johnson/R3/USEPA/US
cc
Charlie Jones/R3/USEPA/US,
bcc

Subject
SDWA Certification of State Labs and Evaluation of WV's Drinking Water
Cert Program

WandaJ as we discussed this concerns an on-site of the WV's two laboratories (Charleston and Big Chimney). It would be great if we could tie you in via conference call for our opening meeting and especially for the closing. The closing for the lab will be the afternoon of September 23 and for the lab cert. program on the afternoon of September 9/25/09. Hope that will work out for you as I think it makes a major impact to have the program manager on the line. If you want to invite the WV State drinking water program manager to join the teleconference feel free. Thanks, JoeS

----- Forwarded by Joe Slayton/ESC/R3/USEPA/US on 04/08/2009 05:36 PM -----
Joe Slayton/ESC/R3/USEPA/US

04/08/2009 05:18 PM

To
"Duffield, Larry A" <Larry.A.Duffield@wv.gov>
cc
"Labik, Andrea M" <Andrea.M.Labik@wv.gov>, George
Long/ESC/R3/USEPA/US@EPA, "Ong, Tom L" <Tom.L.Ong@wv.gov>, Dave
Russell/ESC/R3/USEPA/US@EPA, Robin Costas/ESC/R3/USEPA/US@EPA
Subject
RE: On-site Evaluation, questions about your commercial labs

Regarding the on-site for your labs in WV. We have our team and they are set for the lab on-site Sept. 22-23, 2009 (George Long, Robin Costas, Dave Russell and Joe Slayton). We will travel on Monday 9/21/09 and RobinC and DaveR will return the evening of 9/23/09 after the close out. George Long and I will stay over and on 9/24-25 cover the evaluation of the lab cert program.

Regarding the observation of a chemistry lab on-site being conducted: GeorgeL has been out sick. I do not know if he responded back to your message below regarding REI Consultants. Looks to be about an hour out from Charleston (I have it at 225 Industrial Park Rd. Beaver, WV). Should put us on-site about 9ish and GL and I plan to stay about 1/2 day (9/24/09) and catch the closing via teleconference. We would return to either your office for file review or go visit TomO for file review and micro CO interviews. Works for us. Hope it is ok with all our just let me know.

Also, we will be getting back with the presurvey package templates.
Thanks, JoeS

"Duffield, Larry A" <Larry.A.Duffield@wv.gov>

03/31/2009 01:27 PM

To

George Long/ESC/R3/USEPA/US@EPA

cc

Joe Slayton/ESC/R3/USEPA/US@EPA, "Labik, Andrea M"

<Andrea.M.Labik@wv.gov>, "Ong, Tom L" <Tom.L.Ong@wv.gov>

Subject

RE: On-site Evaluation, questions about your commercial labs

George and Joe,

My apologies, I goofed. Reliance Laboratories is not due for an inspection until June, 2010.

REI Consultants was last inspected December 5&6, 2006. They might not mind if we move their inspection up a little. They are near Beckley off I-77 (WV Turnpike, toll road).

-----Original Message-----

From: Duffield, Larry A

Sent: Wednesday, March 25, 2009 1:00 PM

To: 'Long.George@epamail.epa.gov'

Cc: 'Slayton.Joe@epamail.epa.gov'; Labik, Andrea M; Ong, Tom L

Subject: RE: On-site Evaluation, questions about your commercial labs

George,

Bridgeport is northeast of Charleston, off I-79, near Clarksburg.

Reliance is certified for Micro, Trace Metals, Inorganics, THMs, and VOCs. Here is a link to our recently updated listing we have available on our website:

<http://www.wvdhhr.org/labservices/shared/docs/EnvMicro/waterqualitylabs.pdf>

You can review REIC's certification as well.

-----Original Message-----

From: Long.George@epamail.epa.gov [mailto:Long.George@epamail.epa.gov]

Sent: Wednesday, March 25, 2009 10:56 AM

To: Duffield, Larry A

Cc: Slayton.Joe@epamail.epa.gov

Subject: Fw: On-site Evaluation, questions about your commercial labs

Hello Larry,

We have a few questions about your commercial labs. Where is Reliance Labs, Bridgeport with respect to Charleston? Perhaps it's closer to

where we'll be staying. What is the extent of analytes for Alliance? Eg. is it mostly inorganic? Joe and I will be the ones going with you on the lab visit and likewise we'll be doing the SDWA program review. Our time is flexible and we could do the lab oversight on either of two days of the proposed weeks: Thursday or Friday. So far the last thing undetermined is that we don't know if our other COs have conflicts with the proposed dates.

Thank You

----- Forwarded by George Long/ESC/R3/USEPA/US on 03/25/2009 10:34 AM -----

Joe
Slayton/ESC/R3/U
SEPA/US
03/25/2009 10:07
AM
To
"Ong, Tom L" <Tom.L.Ong@wv.gov>
cc
"Labik, Andrea M"
<Andrea.M.Labik@wv.gov>,
"Billingsley, Charlotte J"
<Charlotte.J.Billingsley@wv.gov>,
"Duffield, Larry A"
<Larry.A.Duffield@wv.gov>, George
Long/ESC/R3/USEPA/US@EPA
Subject
Re: On-site Evaluation(Document
link: George Long)

AndreaL et al, In addition to week of September 22, I would like to offer our EPA COs a second week of Sept. 29th ...trying to say early to avoid any chance of bad weather. Would the week of Sept. 29 work as well as a second choice?

LarryD, George L will be back to you regarding in response to the commercial lab questions. Thanks, JoeS

"Ong, Tom L"
<Tom.L.Ong@wv.gov>
ov>
03/23/2009
11:53 AM
To
Joe Slayton/ESC/R3/USEPA/US@EPA
cc
"Duffield, Larry A"
<Larry.A.Duffield@wv.gov>,
"Billingsley, Charlotte J"
<Charlotte.J.Billingsley@wv.gov>,

"Labik, Andrea M"
<Andrea.M.Labik@wv.gov>
Subject
On-site Evaluation

Joe,

After checking my calendar again, the October 6-8 date may conflict with the FDA Regional Milk Seminar which I am mandated to attend. FDA has stated that it will be held in October but has not committed to a specific date other than it will not be the week of October 26.

Thanks,

Thomas L. Ong, Microbiologist Supervisor
Laboratory Evaluation Officer - Chief
West Virginia Department of Health and Human Resources
Bureau For Public Health
OFFICE OF LABORATORY SERVICES
167 - 11th Avenue
South Charleston, WV 25303
304-558-3530, x2710

"Confidentiality Notice: This message, including any attachments, is for the sole use of the individual or entity named above. The message may contain confidential health and/or legally privileged information. If you are not the above-named recipient, you are hereby notified that any disclosure, copying, distribution, or action taken in reliance on the contents of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately and destroy all copies of the original message."